

# LIGHTING & ELECTRICAL

# **NEW PRODUCT ADDITIONS SUPPLEMENT**

SPRING 2020

















# Our Corporate Family of Companies







Founded in 1946, Buyers Products is a fully integrated manufacturer and a leader in the truck equipment industry. Our engineering, manufacturing and assembly operations take place in the USA, under the Buyers family of companies. Buyers Products' mission is to improve our Customers' profitability and productivity while enhancing the quality of our products and services.













в с 1946 Buyers Products Company founded by Sam Ruven and Bessie Kleinman as a distributor components.



Buyers continued to grow its product offerings and build valued relationships with customers and suppliers. Increased demand for products led to the pursuit of supply chain manufacturing solutions.

#### liacom

1992

Buyers acquired Trailer Components Manufacturing (Tracom) for CNC precision machining and tooling, as well as state-of-the-art welding.



1995 Buyers acquired Progressive Powder Coating.

Our Nordson automatic powder application booth is used to powder coat our Buyers toolboxes and other truck and trailer



Buyers moved its corporaté headquarters to a brand new 235,000 sq. ft. state-of-the-art office and distribution



2004

Buyers acquired Romotech in New Paris, Indiana. Our Ferry Industries Rotospeed molding machines are used to manufacture our poly salt spreaders.



2007

Buyers began manufacturing the SnowDogg stainless steel snowplow at our Mentor, Ohio facility.



Boomerang

2009

Buyers began our operations at Boomerang Rubber, in Botkins, Ohio manufacturing mudflaps, wheel chocks and other rubber truck and trailer accessories.



Buyers acquired an additional 500,000 sq.ft. manufacturing facility in Mentor, Ohio allowing for expansion of our aluminum and stainless steel manufacturing.





2016

Buyers establishes a 22,000 sq ft Engineering Tech Center in Mentor, Ohio It's multi-use lab design, training and prototyping space is dedicated to the research and development of innovative product.



Buyers launches new website with business partner portal, to make online ordering and account maintenance easy for customers.



WORK LIGHTS	4-5
Flood Lights	4-5
PLOW LIGHTS	6
WARNING LIGHTS	7-13
Strobe Lights	7-8
Light Bar with Hand Held Controller	9
Traffic Advisors	10
Mini Light Bars	11
Micro Beacons	11
Drill-Free Light Bar Mounts	12
LED Strobe Road Flare	13
DOT LIGHTS	14-15
Stop, Turn, Tail and Backup Lights	14
Turn Signal Lights	15

# **NEW PRODUCTS:**

#### **Ultra Bright 3" LED Flood Light**

pg. 4



#### **Ultra Bright Flood Light with Heated Lens**

pg. 4



# LED 48" Light Bar with Wireless Hand Held Remote Control

pg. 14



#### **LED Micro Beacons**

pg. 17



# **Work Lights**

#### **Ultra Bright 3" LED Flood Light**





Number of LEDs	4		
Lumens	2,329 - 3,039		
Lead Length	20"		
Mount / Base	8mm Stud, SST		

Part No.	Color	Amp	Connection	Wt. (lbs.)	Cat.
1492227*	Clear	3.55	Deutsch	1.45	562 (N)

Light adjusts for maximum power depending on temperature. Available April 2020







#### **Ultra Bright 4" LED Flood Light with Heated Lens**





Number of LEDs	4		
Lumens	4,500		
Lead Length	7"		
Mount / Base	10mm Stud, SST		



Heated tempered glass lens helps prevent ice from building up. Available April 2020







#### **Ultra Bright 4.5" LED Combination Flood / Strobe Light**



Number of LEDs	16	
Lumens	3,810 - 7,421	
Lead Length	20"	
Mount / Base	10mm Stud, SST	


Part No. Color Amp Connection Wt. (lbs.) Cat.


Clear - Flood Amber - Strobe 1.33 - Strobe Deutsch 1.45 562 (N)

Light functions as a bright flood light or a warning strobe light. Light adjusts for maximum power depending on temperature. Available April 2020














# Ultra Bright 8" LED Spot / Flood Light




Number of LEDs	20
Lumens	9,100
Lead Length	20"
Mount / Base	Bracket

Part No.	Color	Amp	Connection	Wt. (lbs.)	Cat.
1492195*	Clear	5.7	Blunt Cut	4.08	562 (N)







#### **Ultra Bright 7.5" LED Flood Light**




Number of LEDs	6	
Lumens	2,565 - 2,767	
Lead Length	20"	
Mount / Base	Recessed	


Part No.	Color	Amp	Connection	Wt. (lbs.)	Cat.
1492228*	Clear	2.18	Deutsch	1.16	562 (N)

Includes angled mounting bracket.

Light adjusts for maximum power depending on temperature. Available April 2020









Shown with the included angle bracket



Shown without angle bracket

# **LED Plow Lights**


#### **Low Profile Heated LED Plow Light Kit**




Number of LEDs	15 Clear LEDs
Color Temperature	5200K - 5700K
Connection	19" 6 Pin Deutsch Connector
Mount	Dual Post Mount
Housing	Black Powder Coated Aluminum

Part No. Lumens **Amp** Wt. (lbs.) Cat. High Beam 3600 Im 1312100\* 4.0 12 900 (N) Low Beam 1800 Im

Heated tempered glass lens helps prevent ice from building up. Over twice as bright as traditional halogens, with a much longer lifespan. 12V relay may be required (not included). for heated function on certain trucks.










#### **Universal Heated LED Snow Plow Headlights**




Number of LEDs	13 Clear LEDs
Color Temperature	5300K - 6000K
Connection	11" 6 Pin Deutsch Connector
Mount	Single Post Mount
Housing	Black Powder Coated Aluminum

Part No.	Lumens	Amp	Wt. (lbs.)	Cat.
1312000*	High Beam 2,500 lm Low Beam 1,200 lm	5.5	9.8	900 (N)

Heated tempered glass lens helps prevent ice from building up. Over twice as bright as traditional halogens, with a much longer lifespan. 12V relay may be required (not included). for heated function on certain trucks.








# **Strobe Lights**

# Ultra Thin Dual Row 5" LED Strobe Light



Number of LEDs	12
Housing	Aluminum
Number of Flash Patterns	30
Synchronous	Yes
Alternating	Yes





#### SAE J595 Class 1 Lights




		Part No.	Color	Amp	Wt. (lbs.)	Cat.
	55555	8890402*	Amber/Clear	1.5	0.2	889 (N)
V	.000000	8890405*	Red/Blue	1.5	0.2	889 (N)
	211111	8890406*	Amber/Red	1.5	0.2	889 (N)
	*******	8890407*	Clear/Red	1.5	0.2	889 (N)
	*****	8890408*	Amber/Blue	1.5	0.2	889 (N)
¥	222222	8890409*	Green	1.5	0.2	889 (N)
	******	8890410*	Amber/Green	1.5	0.2	889 (N)

#### Thin 4.5" Horizontal Dual Color LED Strobe Light



Number of LEDs	12
Housing	Aluminum
Number of Flash Patterns	28
Synchronous	Yes
Alternating	Yes









#### **Dual Color SAE J595 Class 1 Lights**

	Part No.	Color	Amp	Wt. (lbs.)	Cat.
	 8892102*	Clear/Amber	1.0	0.15	889 (N)
7	 8892105*	Red/Blue	1.0	0.15	889 (N)
	 8892106*	Amber/Red	1.0	0.15	889 (N)
	 8892107*	Red/Clear	1.0	0.15	889 (N)
	 8892108*	Amber/Blue	1.0	0.15	889 (N)
	 8892109*	Amber/Green	1.0	0.15	889 (N)

Strobes must be mounted in horizontal orientation to achieve Class 1 rating

#### **Accessories**


	Part No.	Description	Wt. (lbs.)	Cat.
8891920		Chrome Bezel for Thin Mount LED Lights	0.02	889 (N)
	8891921	White PVC Bezel for Thin Mount LED Lights	0.03	889 (N)
	8891925	Black, 90 Degree Mounting Bracket	0.06	889 (N)

# **Strobe Lights**

#### **Ultra Thin Wide Angle 5" LED Strobe Light**



Number of LEDs	12
Housing	Aluminum
Synchronous	Yes
Alternating	Yes





5.22"(132.6mm)	1.77°(45mm)	).39" 0mm)
		_

	-	•	d
8890320		8890321	

#### **Dual Color Lights** Part No. Color Flash Wt. (lbs.) Cat. Amp 8890302\* Amber/Clear 0.24 889 (N) 0.88 26 8890305\* Red/Blue 0.88 26 0.24 889 (N) 8890306\* Amber/Red 0.88 26 0.24 889 (N) 8890307\* Clear/Red 0.88 26 0.24 889 (N) 8890308\* Amber/Blue 0.88 26 0.24 889 (N)

Accessories				
	Part No.	Description	Wt. (lbs.)	Cat.
	8890320*	Chrome Bezel For 8890300 Series Strobe Lights	0.04	889 (N)
	0000221*	White Bezel For 8890300	0.04	990 (NI)

Series Strobe Lights

Amber/Green

0.88

26

0.24

0.04

889 (N)


889 (N)


SAE J599 CLASS 1

#### **Ultra Thin Wide Angle 4" LED Strobe Light**



Aluminum
tiairiiiiairii
16
Yes
Yes






#### Single Color SAE J595 Class 1 Lights

8890321\*

8890310\*



Available May 2020

#### **LED 48" Wireless Light Bar with Traffic Advisor**




12-24 Volts
IP

Number of LEDs	136
Number of Flash Patterns	13
Lead Length	25'
Housing	Aluminum
Mount	Feet and Strap Kit Included

Light features a wireless hand held remote that displays the patterns being used.







#### Single Color SAE J845 Class 1 Light Bar



Part No.	Color	Amp	Wt. (lbs.)	Cat.
8893048*	Amber	11.30	20	889 (N)

Available May 2020



#### **Dual Color SAE J845 Class 1 Light Bar**



Part No.	Color	Amp	Wt. (lbs.)	Cat.
8893148*	Amber/Clear	11.30	20	889 (N)

Available May 2020





#### **Traffic Advisors**

#### **LED Traffic Advisor / Strobe with Flood Light**





YEAR		50 Strobe		
12-24 10LTS 1P 67 CA 13	Number of Flash Patterns	16 Traffic Arrows		
		1 Flood		
	Color	Amber for Strobe and Traffic Arrows Clear for Flood		
	Lead Length	25'		
	Housing	Aluminum		

Combines an SAE J595 Class 1 strobe, traffic advisor with 16 different arrows, and a bright flood light into a single versatile fixture.

Rear Angle

Mounts Included







Mount





#### **Accessories**

Part No.	Description	Wt. (lbs.)	Cat.
6391207	Switch Panel, (4) On/Off, (2) Momentary	0.39	639 (N)





# Mini Light Bars and Micro Beacons

#### 15" Octagonal LED Mini Light Bar Series



Number of LEDs	56
Number of Flash Patterns	10
Lead Length	15' with ON/OFF and Pattern Switch
Mount	Permanent or Magnetic
















Part No.	Color	Amp	Wt. (lbs.)	Cat.
8891062	Amber/Clear	3.2	5.5	889 (N)



#### **Dual Color SAE J845 Class 1 Light Bar**


Part No.	Color	Amp	Wt. (lbs.)	Cat.
8891068*	Amber/Blue	3.2	5.5	889 (N)

#### **LED Micro Beacon**



Number of LEDs	18
Flash	132 Flasher per Minute





#### **Permanent Mount Beacon**

Part No.	Connection	Mounting	Amp	Wt. (lbs.)	Cat.
SL575ALP*	7" Blunt Cut	5 mm Stud	1.3	0.19	889 (N)



#### **Magnetic Mount Beacon**

Part No.	Wiring	Mounting	Amp	Wt. (lbs.)	Cat.
SL576ALP*	12.5' Auxiliary Plug	Magnetic	1.3	0.6	889 (N)

# **Drill-Free Light Bar Mounts**

#### **Drill-Free Light Bar Cab Mount**

Construction Rustproof Aluminu	
Finish	Black Powder-Coated
Capacity	30 lbs.
Size	22" L x 10"W







#### **Ford Trucks**

Part No.	Make/Model	Wt. (lbs.)	Cat.
8895152*	Ford F-150 (2015+), Ford F-250-550 (2017+) and Ranger (2019+) * <i>Replaced 8895150</i> *	7.25	889 (N)
8895250	Ford SuperDuty with Legacy Steel Cab F-250-550 (2006-2016)	7.25	889 (N)

Installs in third light OEM location, no drilling required

#### For GM/Chevy Trucks

	Part No.	Make/Model	Wt. (lbs.)	Cat.
	8895115*	1500-4500 LT / LD with Spoiler (2020)	3.5	889 (N)
	8895095	1500-3500 STD & XTD (2007-2013)	7.25	889 (N)
8895100		1500-3500 (2014-2018, All Models), 1500-3500 (2019 All Models) <b>Except 1500 LT &amp; LTZ</b>	7.25	889 (N)
	8895105	For Chevy Colorado-GMC Canyon (2015-2017) with "IO3" Antenna	7.25	889 (N)

#### **Dodge/RAM Trucks**

Part No.	Make/Model	Wt. (lbs.)	Cat.
8895301*	1500 Classic / 2500-5500 All Models (2019+)	8.0	889 (N)
8895300	1500-4500 (2010-2018) <i>Only</i>	7.25	889 (N)
8895350 Dodge-Ram Cab & Chassis 5500 (2010-2018) *Only for 5500*		7.25	889 (N)

Installs in third light OEM location, no drilling required

#### Fleet Series Drill-Free Light Bar Cab Mount

Construction	Rustproof Aluminum		
Finish	Black Powder-Coated		
Capacity	30 lbs.		
Size	22" L x 10"W		





8895550 shown with light bar

#### **Ford Trucks**

Part No.	Make/Model	Wt. (lbs.)	Cat.
8895550	Ford F-150 (2015+) and Ford F-250/550 (2017+)	6.46	889 (N)

Installs in third light OEM location, no drilling required



# **Road Strobe/Flares**

# **4" LED Rechargeable Magnetic Road Flares**



LEDs Per Flare	16	
Number of Flash Patterns	10	
Color	Amber	
Run Time	8 - 60 Hours	
Recharge Time	4 - 5 Hours	
Housing	Crush-Proof with Magnetic Bottom	
Charger	120V Wall Charger 12V Vehicle Charger	



**8891016**Single road strobe/flare

#### **Single Road Strobe Flare**

Part No.	Number of Flares	Amp	Wt. (lbs.)	Cat.
8891016*	1	0.5	0.85	889 (N)



#### **4 Road Strobe Flare Case**

	Part No.	Number of Flares	Amp	Wt. (lbs.)	Cat.
¥	8891017*	4	0.5	5.00	889 (N)



#### **6 Road Strobe Flare Case**

Part No.	Number of Flares	Amp	Wt. (lbs.)	Cat.
8891018	6	0.5	6.42	889 (N)



# Stop, Turn, Tail & Backup Lights


#### 4" Round LED Stop/Turn/Tail/Backup Light



Number of LEDs	13
Lens Color	Red / Clear
Size	4"
Connection	PL-3 Connection and PL-2 Connection
Compliance Family	FMVSS 108







Part No.	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
5624132*	Grommet	0.46	10	0.50	889 (N)

Featuring "Light Stripe" LED light tube technology. **Bulk.** Part number indicates single light only. Must order in multiples of 10.

Available May 2020

#### **Accessories**

Part No.	Description	Std. Qty.	Wt. (lbs.)	Cat.
5624050	Black Grommet for use with 5624132	10	0.15	562 (N)
5620251	2-Pin Right Angle Male Plug with Stripped Power Lead and #10 Ring on Ground	25	0.03	562 (N)
5620350	3-Pin Right Angle Male Plug with Stripped Power Leads and #10 Ring on Ground	25	0.03	562 (N)

**Bulk.** Part number indicates single item only. 5624050 must be ordered in multiples of 10, 5620251 and 5620350 must be ordered in multiples of 25.


#### 6" Oval LED Stop/Turn/Tail/Backup Light



Number of LEDs	17
Lens Color	Red / Clear
Size	6"
Connection	PL-3 Connection and PL-2 Connection
Compliance Family	FMVSS 108







Part No.	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
5626132*	Grommet	0.46	10	0.50	889 (N)

Featuring "Light Stripe" LED light tube technology.

**Bulk.** Part number indicates single light only. Must order in multiples of 10. *Available May 2020* 

#### **Accessories**

Part No.	Description	Std. Qty.	Wt. (lbs.)	Cat.
5626050	Black Grommet for use with 5626132	10	0.15	562 (N)
5620251	2-Pin Right Angle Male Plug with Stripped Power Lead and #10 Ring on Ground	25	0.03	562 (N)
5620350	3-Pin Right Angle Male Plug with Stripped Power Leads and #10 Ring on Ground	25	0.03	562 (N)

Bulk. Part number indicates single item only. 5626050 must be ordered in multiples of 10, 5620251 and 5620350 must be ordered in multiples of 25.






# **DOT LED Turn Signal Lights**

# 4" Round Turn Signal Light with 10 LEDs



Number of LEDs	10			
Lens Color	Orange			
Amp	0.221			
Size	4"			
Connection	PL-3 Connection			
Compliance Family	FMVSS 108			





Part No.	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
5624210	Grommet (Included)	0.221	1	0.70	562 (N)



Part No.	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
5624211*	Grommet (Sold Separately)	0.221	10	0.36	562 (N)

Bulk. Part number indicates single light only. Must order in multiples of 10.



#### **Accessories**

Part No.	Description	Std. Qty.	Wt. (lbs.)	Cat.
5624050	Black Grommet for use with 5624211	10	0.15	562 (N)
5620350	3-Pin Right Angle Male Plug with Stripped Power Leads and #10 Ring on Ground	25	0.03	562 (N)

Bulk. Part number indicates single item only. 5624050 must be ordered in multiples of 10, 5620350 must be ordered in multiples of 25.



# The Buyers family of manufacturing companies











www.buyersproducts.com









